

ACTA-EMBRACE™ ORDER FORM



POSITIONING BACK, POSTERIOR



Shown with Compass® 4 Quick Release 2 Point Hardware.
Cover appearance may vary with hardware selection.

This back support is also
available through
CID COMFORT
designs

Company Name/ACCT #: _____

P.O. Number: _____

Requested By: _____

Phone: _____ Fax: _____

Email: _____

Ship To: _____

Patient Reference: _____

ACTA EMBRACE-LCS-NP-01/04/2017

If you would like an official quotation, please email completed form to
regina@lcseating.ie, or fax 00353 71 9163918

If you have any queries, please contact the office on 00353 71 9163905

1 SIZE SELECTION Required

BASE RRP BY SIZE

LENGTH*	22"								
	20"								
	18"								
	16"								
	14"								
	12"								
	10"								
	10"	12"	14"	16"	18"	20"	22"	24"	
	FRAME WIDTH								

Sizes available are subject to hardware being used.

AE-BS

Please fill in the above with dimensions
from the size charts to the right.
Example Part: **AE-BS14W16L**

Hardware will be selected in Section 2.

10W10L	12W10L	14W10L	16W10L
--------	--------	--------	--------

Please note these sizes are not available with
4 POINT hardware if using a head support.

*Length (L) refers to the actual size dimension of the support from bottom to top edge.

Sizes available with 2 POINT Mounting Hardware

LENGTH*	22"				16W22L	18W22L	20W22L	22W22L	
	20"		14W20L	16W20L	18W20L	20W20L	22W20L		
	18"		12W18L	14W18L	16W18L	18W18L	20W18L	22W18L	
	16"		12W16L	14W16L	16W16L	18W16L	20W16L	22W16L	
	14"	10W14L	12W14L	14W14L	16W14L	18W14L	20W14L		
	12"	10W12L	12W12L	14W12L	16W12L	18W12L			
	10"	10W10L	12W10L	14W10L	16W10L				
		10"	12"	14"	16"	18"	20"	22"	24"
FRAME WIDTH									

Sizes available with 4 POINT Mounting Hardware

LENGTH*	22"				16W22L	18W22L	20W22L	22W22L	24W22L	
	20"			14W20L	16W20L	18W20L	20W20L	22W20L	24W20L	
	18"			12W18L	14W18L	16W18L	18W18L	20W18L	22W18L	
	16"			12W16L	14W16L	16W16L	18W16L	20W16L	22W16L	
	14"	10W14L	12W14L	14W14L	16W14L	18W14L	20W14L			
	12"	10W12L	12W12L	14W12L	16W12L	18W12L				
	10"	10W10L	12W10L	14W10L	16W10L					
			10"	12"	14"	16"	18"	20"	22"	24"
	FRAME WIDTH									

Sizes available with POWER Mounting Hardware

LENGTH*	22"				16W22L	18W22L	20W22L	22W22L	24W22L
	20"			14W20L	16W20L	18W20L	20W20L	22W20L	24W20L
	18"		12W18L	14W18L	16W18L	18W18L	20W18L	22W18L	24W18L
	16"		12W16L	14W16L	16W16L	18W16L	20W16L	22W16L	
	14"		12W14L	14W14L	16W14L	18W14L	20W14L		
	12"		12W12L	14W12L	16W12L	18W12L			
	10"								
		10"	12"	14"	16"	18"	20"	22"	24"
FRAME WIDTH									

2 COVER & HARDWARE SELECTION

Required

2.1 COVER SELECTION

Both fabrics are latex-free. Fabric selection is for the support surface only. Other fabrics used in cover construction remain the same.



COMFORT-TEK™ is a smooth, easily cleaned surface. The fluid protection aids in infection control.

COMFORT-TEK™ Cover
(COMFORT-TEK)




STRETCH-AIR™ has comfortable stretch, air transmission and heat dissipation. It is not fluid resistant.

STRETCH-AIR™ Cover
(STRETCH-AIR)

2.2 HARDWARE STYLE

COMPASS® 4 QUICK RELEASE


Price included in back support purchase



QUICK RELEASE 2 POINT
(Q-COMPASS)


QUICK RELEASE 4 POINT
(Q-COMPASS4)

4 POINT hardware is required on all 24"W back supports using Compass® 4 hardware.



COMPASS® 4 FIXED

Price included in back support purchase




FIXED fully adjustable hardware requires tools for back support removal

FIXED 2 POINT
(NQ-COMPASS)

FIXED 4 POINT
(NQ-COMPASS4)

COMPASS® POWER MOUNT

UPCHARGE APPLIES



POWER MOUNT hardware has 8" of height adjustment in ½" increments without using tools.

QUANTUM w/ TRU BALANCE 3
(PMB-QUANTUM)

PERMOBIL w/ CORPUS 3G
(PMB-PERMOBIL)

QUICKIE w/ 3.7 POWER
(PMB-QUICKIE)

ROVI w/ MOTION CONCEPTS*
(PMB-ROVI)

*Using Power Mount Hardware on ROVI requires mounting to the RECESSED PLANAR INTERFACE PLATE available when ordering the Motion Concepts Seating System. Drilling is required for mounting.

3 BACKSUPPORT ADD-ON SELECTIONS

Optional

3.1 COLOR UPCHARGE APPLIES

Accent colors are applied via colored piping. Placement of the piping may vary by back support size and mounting hardware. If no colors are selected, our standard silver reflective piping is used at no additional cost.



Color Location

RED (AC-RED)
PURPLE (AC-PURPLE)
PINK (AC-PINK)
BLUE (AC-BLUE)
GREEN (AC-GREEN)
REMOVE (AC-REMOVE)

3.2 EMBROIDERY UPCHARGE APPLIES

A. THREAD COLOR OPTIONS

RED (EMB-RED)	BLUE (EMB-BLUE)
PURPLE (EMB-PURPLE)	GREEN (EMB-GREEN)
PINK (EMB-PINK)	SILVER (EMB-SILVER)

B. FONT OPTIONS

Helvetica (EMB-Helvetica)	Twilight (EMB-Twilight)
Garamond (EMB-Garamond)	Script (EMB-Script)


C. WORD ONE

WORD TWO (optional)

*ADDITIONAL LEAD TIMES MAY APPLY

3.3 PRIVACY FLAP UPCHARGE APPLIES

This flap connects with hook & loop attachment between the seat and back for added privacy.



Privacy Flap

PRIVACY FLAP (PV-FLAP)

COMFORT-TEK™
is a smooth, easily cleaned surface. The fluid protection aids in infection control.

STRETCH-AIR™
has comfortable stretch, air transmission and heat dissipation.


4 LATERAL TRUNK SUPPORT & HARDWARE

Optional


4.1 LATERAL TRUNK SUPPORT PAD STYLE UPCHARGE APPLIES

Select a left and/or right lateral trunk support pad using any combination of size, style and fabric.


*Length (L) refers to the actual size dimension of the support from top to bottom edge.




MOLDABLE



MOLDABLE ACTIVE



RIGID



RIGID ACTIVE

		4"D x 3"L		5"D x 3"L		5"D x 4"L		6"D x 4"L		6"D x 6"L		7"D x 5"L	
COMFORT-TEK		LT1-MF4W3T		LT1-MF5W3T		LT1-MF5W4T		LT1-MF6W4T		LT1-MF6W6T		LT1-MF7W5T	
		Left	Right	Left	Right	Left	Right	Left	Right	Left	Right	Left	Right
		Extra Left	Extra Right	Extra Left	Extra Right	Extra Left	Extra Right	Extra Left	Extra Right	Extra Left	Extra Right	Extra Left	Extra Right
STRETCH-AIR		LT1-MS4W3T		LT1-MS5W3T		LT1-MS5W4T		LT1-MS6W4T		LT1-MS6W6T		LT1-MS7W5T	
		Left	Right	Left	Right	Left	Right	Left	Right	Left	Right	Left	Right
		Extra Left	Extra Right	Extra Left	Extra Right	Extra Left	Extra Right	Extra Left	Extra Right	Extra Left	Extra Right	Extra Left	Extra Right
COMFORT-TEK		LT1-MF4W3T-AL	LT1-MF4W3T-AR	LT1-MF5W3T-AL	LT1-MF5W3T-AR	LT1-MF5W4T-AL	LT1-MF5W4T-AR	LT1-MF6W4T-AL	LT1-MF6W4T-AR	LT1-MF6W6T-AL	LT1-MF6W6T-AR	LT1-MF7W5T-AL	LT1-MF7W5T-AR
		Left	Right	Left	Right	Left	Right	Left	Right	Left	Right	Left	Right
		Extra Left	Extra Right	Extra Left	Extra Right	Extra Left	Extra Right	Extra Left	Extra Right	Extra Left	Extra Right	Extra Left	Extra Right
STRETCH-AIR		LT1-MS4W3T-AL	LT1-MS4W3T-AR	LT1-MS5W3T-AL	LT1-MS5W3T-AR	LT1-MS5W4T-AL	LT1-MS5W4T-AR	LT1-MS6W4T-AL	LT1-MS6W4T-AR	LT1-MS6W6T-AL	LT1-MS6W6T-AR	LT1-MS7W5T-AL	LT1-MS7W5T-AR
		Left	Right	Left	Right	Left	Right	Left	Right	Left	Right	Left	Right
		Extra Left	Extra Right	Extra Left	Extra Right	Extra Left	Extra Right	Extra Left	Extra Right	Extra Left	Extra Right	Extra Left	Extra Right
COMFORT-TEK		LT1-RF4W3T		LT1-RF5W3T		LT1-RF5W4T		LT1-RF6W4T		LT1-RF6W6T		LT1-RF7W5T	
		Left	Right	Left	Right	Left	Right	Left	Right	Left	Right	Left	Right
		Extra Left	Extra Right	Extra Left	Extra Right	Extra Left	Extra Right	Extra Left	Extra Right	Extra Left	Extra Right	Extra Left	Extra Right
STRETCH-AIR		LT1-RS4W3T		LT1-RS5W3T		LT1-RS5W4T		LT1-RS6W4T		LT1-RS6W6T		LT1-RS7W5T	
		Left	Right	Left	Right	Left	Right	Left	Right	Left	Right	Left	Right
		Extra Left	Extra Right	Extra Left	Extra Right	Extra Left	Extra Right	Extra Left	Extra Right	Extra Left	Extra Right	Extra Left	Extra Right
COMFORT-TEK		LT1-RF4W3T-AL	LT1-RF4W3T-AR	LT1-RF5W3T-AL	LT1-RF5W3T-AR	LT1-RF5W4T-AL	LT1-RF5W4T-AR	LT1-RF6W4T-AL	LT1-RF6W4T-AR	LT1-RF6W6T-AL	LT1-RF6W6T-AR	LT1-RF7W5T-AL	LT1-RF7W5T-AR
		Left	Right	Left	Right	Left	Right	Left	Right	Left	Right	Left	Right
		Extra Left	Extra Right	Extra Left	Extra Right	Extra Left	Extra Right	Extra Left	Extra Right	Extra Left	Extra Right	Extra Left	Extra Right
STRETCH-AIR		LT1-RS4W3T-AL	LT1-RS4W3T-AR	LT1-RS5W3T-AL	LT1-RS5W3T-AR	LT1-RS5W4T-AL	LT1-RS5W4T-AR	LT1-RS6W4T-AL	LT1-RS6W4T-AR	LT1-RS6W6T-AL	LT1-RS6W6T-AR	LT1-RS7W5T-AL	LT1-RS7W5T-AR
		Left	Right	Left	Right	Left	Right	Left	Right	Left	Right	Left	Right
		Extra Left	Extra Right	Extra Left	Extra Right	Extra Left	Extra Right	Extra Left	Extra Right	Extra Left	Extra Right	Extra Left	Extra Right

4 LATERAL TRUNK SUPPORT & HARDWARE Continued

Optional

4.2 LATERAL TRUNK SUPPORT HARDWARE

Select a set of hardware below (Section A). Extra links (Section B) may be selected to add 1" of additional depth and adjustability.

4.3 PROTECTIVE COVER (OPTIONAL)

A) SWING-AWAY

UPCHARGE APPLIES

RIGID


UPCHARGE APPLIES

B) EXTRA LINKS


UPCHARGE APPLIES

PROTECTIVE LATERAL HARDWARE COVER


UPCHARGE APPLIES



LTL-SF	LTR-SF
Left	Right
Extra Left	Extra Right




LTL-RF	LTR-RF
Left	Right
Extra Left	Extra Right



EXTRA LINK

LEFT	LT1-LINK	RIGHT	LT1-LINK
	1 Extra Link		1 Extra Link
	2 Extra Links		2 Extra Links
	3 Extra Links		3 Extra Links
	4 Extra Links		4 Extra Links



LT1-PROTECT2			
	Left		Right
	Extra Left		Extra Right

Cover wraps around hardware and closes with hook and loop attachment.

Both hardware styles in Section A are width adjustable.

5 BODILINK HEAD SUPPORT & HARDWARE

Optional

5.1 HEAD SUPPORT PAD STYLE

UPCHARGE APPLIES

Length (L) refers to the actual size dimension of the support from bottom to top edge.

	W	Pad Firmness	
L		Soft	BL-HSP1-6W3L
		Extra Soft	BL-HSP2-6W3L
L		Soft	BL-HSP1-8W4L
		Extra Soft	BL-HSP2-8W4L
L		Soft	BL-HSP1-10W5L
		Extra Soft	BL-HSP2-10W5L
L		Soft	BL-HSP1-14W5L
		Extra Soft	BL-HSP2-14W5L
L		Soft	BL-HSP1-18W5L
		Extra Soft	BL-HSP2-18W5L
	W		

5.2 PAD COVER MATERIAL

	FOR SKIN PROTECTION & SHEAR REDUCTION. NOT FLUID RESISTANT.
	FOR FLUID PROTECTION & AN EASILY CLEANED SURFACE.
	FOR AIR TRANSMISSION & HEAT DISSIPATION.


	GlideWear® (GLIDEWEAR)
	Comfort-Tek (COMFORT-TEK)
	Stretch-Air (STRETCH-AIR)

5 BODILINK HEAD SUPPORT & HARDWARE Continued

Optional

5.3 HEAD SUPPORT HARDWARE

UPCHARGE APPLIES



6 STRAP GUIDE EXTENSION

Optional

6.1 STRAP GUIDE EXTENSION BRACKET

UPCHARGE APPLIES

